

AFRICAN LEVELING FEET

2009



Riaan Barnard

Cell: 082-782-6772

Tel: 021-933-3163

Email: sales@alf.co.za

Website: www.alf.co.za

Introduction

African Leveling Feet

ALF started out as a engineering service doing machining for other customers. It has since grown to a small company focusing its attention primarily on adjustable leveling feet.

Our products

All products manufactured are made from the highest quality raw materials available. In house manufacturing with the latest high tech machinery means we can continually monitor the quality control process. All products are identified by the ALF brand name and a unique part number. Samples of our products is available upon request.

Our designs

We currently manufacture a large number of standard products and are continuously introducing new designs . We would also welcome request for new designs and will work together with customers to design new products to fulfill their requirements. We also manufacture leveling feet to customers designs.

Our contact details

Managing member: Riaan Barnard

Factory: Unit 18
Beacon Micro Industries
Beaconway
Beaconvale
7500

Postal address: Po Box 1284
Parow
7499

Cell: 082-782-6772 (all hours)
Tel: 021-933-3163
Fax: 021-933-3165
Web: www.alf.co.za
E-mail: sales@alf.co.za

Payment details

Bank: ABSA
Branch: Parow
Branch code: 502110
Acc no. 4064530524


Future

We would welcome the opportunity to discuss your requirements and look forward to processing your orders.

ALF 18

ALF 18

A small adjustable leveling foot made out of Santoprene. Specially designed to provide anti vibration damping to sensitive equipment. This leveler also has excellent chemical and UV resistant abilities.



<u>MODEL No.</u>	<u>THREAD</u>	<u>L</u>	<u>Load</u>
ALF18-630	M6	30mm	25 kg
ALF18-835	M8	35mm	30 kg
ALF18-845	M8	55mm	30 kg


TECHNICAL DETAILS :

MATERIAL:	Synthetic rubber (zinc plated or stainless steel bolt)
COLOUR:	Black.
OPTIONS:	Sainless steel bolt (add -ss to part number)
APLICATIONS:	Electronic scales, instrumentation, light machinery.

ALF 19

ALF 19

A large adjustable leveling foot made out of Santoprene. Specially designed to provide anti vibration damping to large industrial equipment. This leveler also has excellent chemical and UV resistant abilities.



<u>MODEL No.</u>	<u>THREAD</u>	<u>L</u>	<u>Load</u>
ALF19-1050	M10	48mm	100kg


TECHNICAL DETAILS:

MATERIAL:	Synthetic rubber (zinc plated or stainless steel bolt)
COLOUR:	Black.
OPTIONS:	Stainless steel bolt (add -ss to part number)
APPLICATIONS:	Electronic scales, instrumentation, air conditioning units, light machinery.

ALF 37

ALF 37

A Stainless steel load foot designed to be used on most commercial loadcells. Each foot has a load capacity of 500 kg. ALF 37 can be used on 4 loadcell platforms up to 1500kg. ALF37 can also be used on hopper and tank weighing applications. Each unit is supplied complete with a locknut.



<u>MODEL No.</u>	<u>THREAD</u>	<u>L</u>
ALF37-1255	M12	55 mm


TECHNICAL DETAILS:

MATERIAL:	Synthetic Rubber
Construction:	Electro polished Stainless Steel
OPTIONS:	None
APPLICATIONS:	Electronic 4 loadcell platform scales up to 1500kg

ALF 43

ALF 43

A round leveler designed to be used as a replacement for platform scales. The leveler fits most imported platform scales such as UWE, Adam, Avery etc. Max load per foot 100kg. The leveler is supplied complete with a locknut



<u>MODEL No.</u>	<u>THREAD</u>	<u>L</u>
ALF43-1235	M12	35 mm

TECHNICAL DETAILS:

MATERIAL:	Synthetic Rubber (Mild Steel bolt + lock nut)
COLOUR:	Black standard
OPTIONS:	None
APPLICATIONS:	Electronic platform scales up to 300kg